



Torque Control Quick Reference Guide



Torque Control Software Flow Chart



Page_1 Converter PWM Page_2 RPM TransONpwm PWM 00 mS RPM >1500 PWM 200 mS RPM 2000 PWM 400 mS RPM 2500 PWM 600 mS RPM 3000

PWM 200 mS		RPM 2000	
PWM 400 mS		RPM 2500	
PWM 600 mS		RPM 3000	
PWM 800 mS		RPM 3500	
PWM 1.0 S		RPM 4000	
PWM 1.2 S	Converter Pressure PWM over Time Table	PWM over Time Table RPM 4500 Converter Air Pressur PWM over RPM Table PWM over RPM Table RPM 5000	Converter Air Pressure
PWM 1.4 S	NOTE - Is only active once Transbrake is		PWW over HPW Table
PWM 1.6 S	released and TransbrakeOFF (page_4) is set to 00%.	RPM 5500	
PWM 1.8 S	·	RPM 6000	
PWM 2.0 S		RPM 6500	
PWM 2.2 S		RPM 7000	
PWM 2.4 S		RPM 7500	
PWM 2.6 S		RPM 8000	
PWM 2.8 S		RPM 8500	
PWM 3.0S	·	RPM 9000	
	I		

Page_	3 LockUP PWM	Page_4 (CONFIG Setup
AIR 00 mS		BrakeOFF	Transbrake off Converter Air Pressure PWM
AIR 200 mS		BUMP Time	Bump time when Bump input pressed with Transbrake on.
AIR 400 mS		Timer Delay	Timer delay after Transbrake released before Lockup Air PWM (page_2) is active.
AIR 600 mS		RPM ON	RPM Value Arms lock up pressure valves
AIR 800 mS		RPMoff	RPM Value disarms lock up pressure valves
AIR 1.0 S	Lock up Air Pressure PWM over Time Table	Input1	Pressure sensor type for input#1
AIR 1.2 S	NOTE - Is active once Timerdelay (page_4)	Input2	Pressure sensor type for input#2
AIR 1.4 S	has timed out after Transbrake has been released.	Cylinders	Select engine configuration cylinders for correct rpm reading.
AIR 1.6 S		Timer	Factor x1 = Time correction scale 0 - 3 seconds
AIR 1.8 S		Laptop	Coordinate
AIR 2.0 S		CANidH	
AIR 2.2 S		CANIdL	
AIR 2.4 S		CANbus	Advance setup features for Factory use only
AIR 2.6 S		TXrate	
AIR 2.8 S		CANinp	
AIR 3.0S		CANout	

Page_5	ECU ID	Setup
--------	--------	-------

PROG	Standard or advanced programming type. (Factory default = standard.)
E.C.U	Enables configuration programming or lock editing
Char1=T	These screens allow you to give an 8-characters name to your program; this is the name that appears in the ID screen when the controller is turned on. Naming a program makes identifying your different set-ups
Char2=o	simple. To edit your program name scroll to the characters you wish to alter and
Char3=r	use the ADJ buttons/up or down arrows to set the desired character. For example, to name a program "4cyl_tur", scroll to the Char1 screen, switch to program mode and use the up/down buttons to set the first
Char4=q	character i.e.: "4". Now scroll rights to the Char2 screen and set the second character, "c". Set the rest of the characters in the same way
Char5=u	(Screens Char3 to Char8), then switch back to view mode. The name you have entered will now appear as the program description in the ID screen.
Char6=e	
Char7=-	
Char8=1	
Pin#1	These screens allow you to set the 6-digit security number for the controller, and are set in the same ways as the Char screens (above). If
Pin#2	all six of these screens are set to "0" (i.e. the PIN number = "000000"), the security lock features of the controller will be switched off.
Pin#3	IMPORTANT NOTE: If you set a PIN number for your controller, make sure you write the number down keep it in a safe place as
Pin#4	you will not be able to program your controller!
Pin#5	
Pin#5 Pin#6	

DaTa_1

Displays real time live data for -

Lock Press, Conv Press, RPM CRK, Oil Temp

Displays real time live data for -

Lock, Conv, Oil Temp, Timer

Display LOG Minimum/maximum for Lock and Conv

Display LOG Minimum/maximum for R.P.M. & Oil Temp

MicroTech Auto Screen

When the DASH is unlocked, the left/right arrows scroll through the program selection options. The DASH software has four memories called memCALs, which allow for the storage and retrieval of different set-ups. These memories are stored on a DASH memory chip. Note that these

memories cannot be accessed, when DASH is locked.

Save to memCAL#3

The memCALs are accessed by using the left/right arrows to scroll to the desired memory area (memcal 1-4) then pressing the MODE button twice.

e.g. pressing the MODE button twice when the display reads "Save to memCAL#4" would store the current settings in memCAL 3. While a program is saved or loaded, the display will read "Programming Please Wait". The memCALs can also be most useful for temporarily storing data

while working on programs; if you want to try an adjustment but don't want to lose the data you already have, save your settings in one of the

memCAL areas and it can be retrieved later if your adjustments don't work.

LOAD memCAL #2

LOAD memCAL #3

ReSET Settings Factory Use Only

LOAD memCAL #1

LOAD memCAL #4

